

Reg. št. / Ref. No.: 3150-0028/10-0014

Datum izdaje / Issued on: 31. julij 2017

Zamenjuje izdajo z dne / Replaces Annex dated: 16. avgust 2016

Veljavnost akreditacije je mogoče preveriti na spletni strani SA, www.slo-akreditacija.si
Information on current accreditation status is available at the SA website, www.slo-akreditacija.si

PRILOGA K AKREDITACIJSKI LISTINI ***Annex to the accreditation certificate***

K-003

1 AKREDITIRANI ORGAN / Accredited body

LOTRIČ Meroslovje d.o.o. / *LOTRIČ Metrology Ltd.*

Selca 163, 4227 Selca

Kopija priloge za objavo na spletnem mestu. / Copy of attachment for web publishing.

2 STANDARD

SIST EN ISO/IEC 17020:2012, tip C

3 OBSEG AKREDITACIJE / Scope of accreditation

V okviru te akreditacijske listine Slovenska akreditacija priznava akreditiranemu organu usposobljenost za opravljanje naslednjih dejavnosti: / *SA hereby acknowledges the accredited body as being competent for performing the following activities:*

3.1 Skrajšan opis obsega akreditacije / A short description of the scope

- Kontrola tehtnic (1, 2, 3, 4, 5) / *Inspection of weighing instruments (1, 2, 3, 4, 5)*
- Kontrola uteži (6) / *Inspection of weights (6)*
- Kontrola merit za merjenje izpušnih plinov vozil (7, 8) / *Inspection of exhaust gas analysers (7, 8)*
- Kontrola meritnikov krvnega tlaka (9) / *Inspection of sphygmomanometers (9)*
- Kontrola meritnikov tlaka v pnevmatikah (10) / *Inspection of tire pressure measuring instruments (10)*
- Kontrola naprav z valji za preverjanje zaviralne sile (11) / *Inspection of roller brake testers (11)*

- Kontrola merit dolžine (12, 13) / *Inspection of measures of length (12, 13)*
- Kontrola parnih sterilizatorjev, avtoklavov (14) / *Inspection of steam sterilizers, autoclaves (14)*
- Kontrola opreme pod tlakom (15, 16, 17) / *Inspection of pressure equipment (15, 16, 17)*

Kopija priloge za objavo na spletnem mestu. / Copy of attachment for web publishing.

3.2 Podroben opis obsega akreditacije / Detailed scope of accreditation

3.2.1 LOTRIČ Meroslovje d.o.o. / LOTRIČ Metrology Ltd., Selca 163, 4227 Selca

Tabela / Table 1

Št. No.	Predmet kontrole (proizvod, storitev, proces) <i>Item of inspection (product, service, process)</i>	Vrsta kontrole <i>Inspection type</i>	Metode in postopki (normativni dokumenti, interni postopki) <i>Methods and procedures (normative documents, internal procedures)</i>	Opombe <i>Notes</i>
1.	Neavtomatske tehtnice <i>Non-automatic weighting instruments</i>	- redna kontrola - izredna kontrola - <i>periodic inspection</i> - <i>inspection after repair</i>	Pravilnik o meroslovnih zahtevah za neavtomatske tehtnice (Ur. list RS št. 25/16) <i>Rules on metrological requirements on non-automatic weighing instruments (Official Gazette of the RS No. 25/16)</i>	Nosilnosti tehtnic po točnostnih razredih: (I) do 35 kg (II) do 550 kg (III) in (IV) do 100 t Kontrola tehtnic pri katerih je $n > 3000$ in nima vgrajene funkcije za interno naravnavanje samo na mestu uporabe. <i>Scale capacity with accuracy classes: (I) up to 35 kg (II) up to 550 kg (III) and (IV) up to 100 t</i> <i>Inspections of instruments with $n > 3000$ and without built-in internal adjustment function only on site.</i>
2.	Minimalna zatehta neavtomatskih tehtnic <i>Min. weight of non-automatic weighing instruments</i>		Interni navodilo ML10N93 - 20170104 <i>Internal procedure ML10N93 – 20170104</i>	
3.	Avtomatske tehtnice za posamično tehtanje <i>Automatic catchweighing instruments</i>	- redna kontrola - izredna kontrola - <i>subsequent inspection</i> - <i>extraordinary inspection</i>	Pravilnik o merilnih instrumentih (Ur. list RS, št. 19/16), Priloga 8 - Avtomatske tehtnice (MI-006), II. Poglavlje - Avtomatske tehtnice za posamično tehtanje <i>Rules on measuring instruments (Official Gazette of the RS, No. 19/16), Annex 8 - Automatic weighing instruments (MI-006), 2nd Chapter - Automatic catchweighing instruments</i>	Kontrola tehtnic samo na mestu uporabe. <i>Inspection is performed on site only.</i>
4.	Avtomatske gravimetrično polnilne tehtnice <i>Automatic gravimetric filling weighing instruments</i>	- redna kontrola - izredna kontrola - <i>subsequent inspection</i> - <i>extraordinary inspection</i>	Pravilnik o merilnih instrumentih (Ur. list RS, št. 19/16), Priloga 8 - Avtomatske tehtnice (MI-006), III. Poglavlje - Avtomatske gravimetrične polnilne tehtnice <i>Rules on measuring instruments (Official Gazette of the RS, No. 19/16), Annex 8 - Automatic weighing instruments (MI-006), 3th Chapter - Automatic gravimetric filling weighing instruments.</i>	Kontrola tehtnic samo na mestu uporabe. Nosilnost tehtnic do 2 t. <i>Inspection is performed on site only.</i> <i>Capacity of weighing instruments up to 2 t.</i>

Št. No.	Predmet kontrole (proizvod, storitev, proces) <i>Item of inspection (product, service, process)</i>	Vrsta kontrole <i>Inspection type</i>	Metode in postopki (normativni dokumenti, interni postopki) <i>Methods and procedures (normative documents, internal procedures)</i>	Opombe <i>Notes</i>
5.	Tehnice za gradbene namene <i>Weighing instruments for construction purposes</i>	- redna kontrola - izredna kontrola - subsequent inspection - extraordinary inspection	Pravilnik o merilnih instrumentih (Ur. list RS, št. 19/16), Priloga 8 - Avtomatske tehnice (MI-006) Rules on measuring instruments (Official Gazette of the RS, No. 19/16), Annex 8 - Automatic weighing instruments (MI-006)	Kontrola tehnic samo na mestu uporabe. Nosilnost tehnic do 10 t. <i>Inspection is performed on site only. Capacity of instruments up to 10 t.</i>
6.	Uteži <i>Weights</i>	- prva kontrola - redna kontrola - izredna kontrola - initial inspection - subsequent inspection - extraordinary inspection	Pravilnik o meroslovnih zahtevah za uteži z nazivnimi masami od 1 mg do 50 kg (Ur. I. RS 20/02) Pravilnik o meroslovnih zahtevah za uteži z nazivnimi masami od 50 kg do 5000 kg (Ur. I. RS 20/02) Rules on metrological requirements on weights with nominal masses of 1 mg to 50 kg (Official Gazette of RS, No. 20/02) Rules on metrological requirements on weights with nominal masses of 50 kg to 5000 kg (Official Gazette of RS, No. 20/02)	V kontrolnem organu: uteži z nazivnimi masami točnostnih razredov: M2: 100 mg do 20 kg M1: 1 mg do 20 kg F2: 1 mg do 20 kg F1: 1 mg do 20 kg E2: 1 mg do 500 g Na terenu: uteži z nazivnimi masami točnostnih razredov: M2: 100 mg to 20 kg M1: 100 mg do 20 kg n=5000: 500 kg <i>In Inspection Body: weights of nominal masses and accuracy classes: M2: 100 mg to 20 kg M1: 1 mg to 20 kg F2: 1 mg to 20 kg F1: 1 mg to 20 kg E2: 1 mg to 500 g</i> <i>On site: weights of nominal masses and accuracy classes: M2: 100 mg to 20 kg M1: 100 mg to 20 kg n=5000: 500 kg</i>
7.	Merila za merjenje izpušnih plinov vozil <i>Exhaust gas analysers</i>	- redna kontrola - izredna kontrola - subsequent inspection - extraordinary inspection	Pravilnik o merilnih instrumentih (Ur. list RS, št. 19/16), Priloga 12 - Merilniki izpušnih plinov (MI-010) Rules on measuring instruments (Official Gazette of the RS, No. 19/16), Annex 12 - Exhaust gas analysers (MI-010)	Kontrola meril samo na mestu uporabe. <i>Inspection is performed on site only.</i>
8.	Merila za merjenje izpušnih plinov motornih vozil na kompresijski vžig <i>Exhaust gas analysers (compression ignition)</i>	- prva kontrola - redna kontrola - izredna kontrola - initial inspection - subsequent inspection - extraordinary inspection	Pravilnik o meroslovnih zahtevah za merila za merjenje izpušnih plinov motornih vozil na kompresijski vžig, (Ur. list RS, št. 106/01) Rules on metrological requirements on exhaust gas analysers (compression ignition) (Official Gazette of RS, no. 106/01)	Kontrola meril samo na mestu uporabe. <i>Inspection is performed on site only.</i>
9.	Merilniki krvnega tlaka	- redna kontrola - izredna kontrola	Pravilnik o postopku redne overitve merilnikov krvnega tlaka (Uradni list RS, št. 24/04, 37/06)	

Kopija priloge za objavo na spletnem mestu [Copy of attachment to web publishing](#).

Št. No.	Predmet kontrole (proizvod, storitev, proces) <i>Item of inspection (product, service, process)</i>	Vrsta kontrole <i>Inspection type</i>	Metode in postopki (normativni dokumenti, interni postopki) <i>Methods and procedures (normative documents, internal procedures)</i>	Opombe <i>Notes</i>
	Sphygmomanometers	- subsequent inspection - extraordinary inspection	Rules on periodical verification of blood pressure measuring devices (Official Gazette of the RS, No.24/04, 37/06)	
10.	Merilniki tlaka v pnevmatikah <i>Tire-pressure measuring instruments</i>	- prva / EEC prva kontrola - redna kontrola - izredna kontrola - initial / EEC initial inspection - subsequent inspection - extraordinary inspection	Pravilnik o meroslovnih zahtevah za merilnike tlaka v pnevmatikah (Ur. list RS, št. 15/02, 76/03) Pravilnik o meroslovnih zahtevah za merilnike tlaka v pnevmatikah, ki lahko nosijo oznake in znake EEC (Ur. list RS, št. 74/01, 79/15) <i>Rules on metrological requirements on tire pressure measuring instruments (Official Gazette of RS, No. 15/02, 76/03)</i> <i>Rules on metrological requirements on tire pressure measuring instruments, with EEC marks and symbols (Official Gazette of RS, No. 74/01, 79/15)</i>	
11.	Naprave z valji za preverjanje zaviralne sile <i>Roller brake testers</i>	- prva kontrola - redna kontrola - izredna kontrola - initial inspection - subsequent inspection - extraordinary inspection	Pravilnik o meroslovnih zahtevah za naprave z valji za preverjanje zaviralne sile (Ur. I. RS, št. 91/09) <i>Rules on metrological requirements on roller brake testers (Official Gazette of RS, No. 91/09)</i>	Kontrola na mestu uporabe. <i>Inspection is performed on site only.</i>
12.	Dolžinska merila <i>Material measures of length</i>	- redna kontrola - izredna kontrola - subsequent inspection - extraordinary inspection	Pravilnik o merilnih inštrumentih (Ur. list RS, št. 19/16), Priloga 10 - Opredmetene mere (MI-008), I. Poglavlje – dolžinska merila <i>Rules on measuring instruments (Official Gazette of the RS, No. 19/16), Annex 10 - Material measures (MI-008), Chapter 1 - Material measures of length</i>	Kontrola samo v prostorih kontrolnega organa. <i>Inspection only in the premises of the Inspection body.</i>
13.	Stroji za merjenje dolžine žice in kabla <i>Wire and cable length measuring instruments</i>	- redna kontrola - izredna kontrola - subsequent inspection - extraordinary inspection	Pravilnik o merilnih inštrumentih (Ur. list RS, št. 19/16), Priloga 11 - Dimenzijska merila (MI-009), I. Poglavlje - Stroji za merjenje dolžine žice in kabla <i>Rules on measuring instruments (Official Gazette of the RS, No. 19/16), Annex 11 – Dimensional measuring instruments (MI-009), Chapter 1 - Wire and cable length measuring instruments</i>	

Kopija priloge za objavo na internetu in na mestu
Copy of annex for publishing on the Internet and on site

Št. No.	Predmet kontrole (proizvod, storitev, proces) <i>Item of inspection (product, service, process)</i>	Vrsta kontrole <i>Inspection type</i>	Metode in postopki (normativni dokumenti, interni postopki) <i>Methods and procedures (normative documents, internal procedures)</i>	Opombe <i>Notes</i>
14.	Kontrola parnih sterilizatorjev, avtoklavov <i>Inspection of steam sterilizers, autoclaves</i>	- prva kontrola - redna kontrola - izredna kontrola - <i>initial inspection</i> - <i>subsequent inspection</i> - <i>extraordinary inspection</i>	EN 285:2016 Sterilizacija - Parni sterilizatorji - Veliki sterilizatorji: točke 16, 17, 18 in 23; EN 13060:2015 Mali parni sterilizatorji EN 285:2016 Sterilization - Steam sterilizers - Large sterilizers: points 16, 17, 18 and 23; EN 13060:2015 Small steam sterilizers	Kontrola v prostorih kontrolnega organa in na terenu. <i>Inspection in the premises of the inspection body and on site.</i>
15.	Kurjena ali drugače ogrevana oprema pod tlakom z nevarnostjo pregrevanja: - parni sterilizatorji*, - avtoklavi* * neposredno ogrevan sterilizator ali avtoklav <i>Fired or otherwise heated pressure equipment with risk of overheating: - steam sterilizers* - autoclaves* * directly heated</i>	- uvodna kontrola - redna kontrola - izredna kontrola - <i>initial inspection</i> - <i>subsequent inspection</i> - <i>extraordinary inspection</i>	Pravilnik o pregledovanju in preskušanju opreme pod tlakom (Ur. list RS št. 92/08, člen 17) in interno navodilo: ML10N80 - 20140818 Rules on examination and testing of pressure equipment (Official Gazette of the RS, No. 92/08, Article 17) and internal procedure: ML10N80 - 20140818	Kontrola kurjene opreme za skupini 1 in 2 Priloge I Pravilnika. Kontrola se izvaja na terenu in lahko vključuje zunanjí pregled, notranji pregled in tlačno-trdnostni preskus. <i>Inspection of fired equipment for Groups 1 and 2 of Annex I of the National regulation.</i> <i>Inspection is performed on site and could include internal and external examination and pressure test.</i>
16.	Tlačne posode: - enostavne tlačne posode, - za zrak in dušik, - parni sterilizatorji*, - avtoklavi* * posredno ogrevan sterilizator ali avtoklav <i>Pressure vessels: - simple pressure vessels - for air and nitrogen - steam sterilizers* - autoclaves* * indirectly heated</i>	- uvodna kontrola - redna kontrola - izredna kontrola - <i>initial inspection</i> - <i>subsequent inspection</i> - <i>extraordinary inspection</i>	Pravilnik o pregledovanju in preskušanju opreme pod tlakom (Ur. list RS št. 92/08, člen 17) in interno navodilo: ML10N94 - 20170315 Rules on examination and testing of pressure equipment (Official Gazette of the RS, No. 92/08, Article 17) and internal procedure: ML10N94 - 20170315	Kontrola tlačnih posod za skupino 5 Priloge I Pravilnika. Kontrola se izvaja na terenu in lahko vključuje zunanjí pregled, notranji pregled in tlačno-trdnostni preskus. <i>Inspection of pressure vessels for Group 5 of Annex I of the National regulation.</i> <i>Inspection is performed on site and could include internal and external examination and pressure test</i>
17.	Varovalna oprema - varnostni ventil <i>Protection equipment: - safety valves</i>	- kontrola nastavitev in funkcionalnosti - <i>inspection of adjustment and functionality</i>	ISO 4126-1:2012 Naprave za varovanje pred visokim tlakom - 1. Del: Varnostni ventili in interno navodilo: ML10N81 - 20151206 ISO 4126-1:2012 Safety devices for protection against excessive pressure – Part 1: Safety valves and internal procedure ML10N81 - 20151206	Kontrola se izvaja za varovalno opremo, ki je nameščena na opremi pod tlakom, navedeni v točkah 15. in 16. te tabele. Kontrola na terenu. <i>Inspection is performed for safety valves that form part of pressure equipment specified in items 15 and 16 of this table.</i> <i>Inspection on site.</i>

Kopija priloge za objavo na spletnem mestu

/ Copy of attachment to web publishing.

Kopija priloge k akreditacijski listini za objavo na spletnem mestu.
Podpisani original priloge na vpogled na sedežu SA.

Copy of Annex to the accreditation certificate for web publishing.
Signed original of Annex available for consultation at the SA head office.

Direktor / Director
dr. Boštjan Godec

Kopija priloge za objavo na spletnem mestu. / Copy of attachment for web publishing.